

JAX[®] Mice, Clinical & Research Services (JMCRS) Production Health Report

Area: EM09

HEALTH STATUS

PATHOGEN & OPPORTUNIST FREE
PATHOGEN FREE

BARRIER LEVEL

MAXIMUM BARRIER
HIGH BARRIER

) STANDARD BARRIER

Please consult our website for descriptions of our health statuses and barrier levels.

PATHOGENS AND OTHER ORGANISMS- EXCLUDED FROM ALL BARRIERS (SHIPPING STOPPED)

If one of these organisms is found in any JMCRS area, all shipments are suspended and customers are notified.*

| OrganismSample TestedTest MethodFrequencyDec 1VIRUSESEctromelia virusSerumMFI6 weeks0/1GDVII (Theiler's) virusSerumMFI6 weeks0/1Hantaan virusSerumMFI6 weeks0/1K virusSerumMFI6 weeks0/1LDH elevating virus (LDEV)SerumPCRannuallyLymphocytic choriomeningitis (LCMV)SerumMFI6 weeks0/1Mouse adenovirus (MAV)SerumMFI6 weeks0/1 | 19 0/19 19 0/19 19 0/19 - - 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 00 0/08 | Sep 23 '24 0/19 0/19 0/19 - - 0/19 0/19 0/19 0/19 0/08 | Aug 12 '24 0/19 0/19 - - 0/19 0/19 0/19 0/19 0/19 | Previous 12 months 0/139 0/139 0/139 0/19 0/10 0/139 0/139 |
|---|---|--|--|--|
| Ectromelia virusSerumMFI6 weeks0/1GDVII (Theiler's) virusSerumMFI6 weeks0/1Hantaan virusSerumMFI6 weeks0/1K virusSerumELISAannually-LDH elevating virus (LDEV)SerumPCRannually-Lymphocytic choriomeningitis (LCMV)SerumMFI6 weeks0/1 | 19 0/19 19 0/19 - - - - 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 00 0/08 | 0/19 0/19 - - 0/19 0/19 0/19 0/19 | 0/19 0/19 - - 0/19 0/19 | 0/139 0/139 0/19 0/10 0/139 0/139 |
| GDVII (Theiler's) virusSerumMFI6 weeks0/1Hantaan virusSerumMFI6 weeks0/1K virusSerumELISAannually-LDH elevating virus (LDEV)SerumPCRannually-Lymphocytic choriomeningitis (LCMV)SerumMFI6 weeks0/1 | 19 0/19 19 0/19 - - - - 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 00 0/08 | 0/19 0/19 - - 0/19 0/19 0/19 0/19 | 0/19 0/19 - - 0/19 0/19 | 0/139 0/139 0/19 0/10 0/139 0/139 |
| Hantaan virusSerumMFI6 weeks0/1K virusSerumELISAannually-LDH elevating virus (LDEV)SerumPCRannually-Lymphocytic choriomeningitis (LCMV)SerumMFI6 weeks0/1 | 19 0/19 - - 19 0/19 19 0/19 19 0/19 19 0/19 19 0/19 00 0/19 | 0/19 - - 0/19 0/19 0/19 0/19 | 0/19 - - 0/19 0/19 | 0/139 0/19 0/10 0/139 0/139 |
| K virusSerumELISAannually-LDH elevating virus (LDEV)SerumPCRannually-Lymphocytic choriomeningitis (LCMV)SerumMFI6 weeks0/1 | 19 0/19 19 0/19 19 0/19 19 0/19 08 0/08 | - 0/19 0/19 0/19 | 0/19 0/19 | 0/19 0/10 0/139 0/139 |
| LDH elevating virus (LDEV) Serum PCR annually - Lymphocytic choriomeningitis (LCMV) Serum MFI 6 weeks 0/1 | 19 0/19 19 0/19 19 0/19 08 0/08 | 0/19 0/19 0/19 | 0/19 | 0/10 0/139 0/139 |
| Lymphocytic choriomeningitis (LCMV) Serum MFI 6 weeks 0/1 | 19 0/19 19 0/19 19 0/19 08 0/08 | 0/19 0/19 0/19 | 0/19 | 0/139 0/139 |
| | 19 0/19 19 0/19 08 0/08 | 0/19 0/19 | 0/19 | 0/139 |
| Mouse adenovirus (MAV) Serum MFI 6 weeks 0/1 | 19 0/19 08 0/08 | 0/19 | - | - |
| | 08 0/08 | , | 0/19 | |
| Mouse cytomegalovirus (MCMV) Serum MFI 6 weeks 0/1 | , | 0/08 | 0/10 | 0/139 |
| Murine chapparvovirus (MuCPV) Cecum or feces PCR 6 weeks 0/0 | 10 0/10 | | 0/08 | 0/69 |
| Mouse hepatitis virus (MHV) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Mouse minute virus (MMV) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Mouse norovirus (MNV) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Mouse parvovirus (MPV) Serum MFI 6 weeks 0/1 | | 0/19 | 0/19 | 0/139 |
| Mouse parvovirus (MPV)† Lymph node PCR 6 weeks 0/0 | 08 0/08 | 0/08 | 0/08 | 0/58 |
| Mouse thymic virus (MTV) Serum IFA guarterly 0/1 | 19 - | - | 0/19 | 0/74 |
| Pneumonia virus of mice (PVM) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Polyoma virus Serum ELISA annually - | | - | - | 0/19 |
| Reovirus 3 (REO 3) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Rotavirus (EDIM) Serum MFI 6 weeks 0/1 | | 0/19 | 0/19 | 0/139 |
| Sendai virus Serum MFI 6 weeks 0/1 | , | 0/19 | 0/19 | 0/139 |
| BACTERIA & MYCOPLASMA | | | | |
| Bordetella spp. Oropharynx Culture 6 weeks 0/2 | 21 0/27 | 0/27 | 0/27 | 0/188 |
| Citrobacter rodentium Intestine or feces Culture 6 weeks 0/7 | | 0/90 | 0/89 | 0/607 |
| Clostridium piliforme Serum ELISA quarterly 0/1 | 19 - | - | 0/19 | 0/74 |
| Corynebacterium bovis †¶ Skin PCR 6 weeks 0/0 | 01 0/01 | 0/01 | N/A | 0/12 |
| Corynebacterium kutscheri Oropharynx Culture 6 weeks 0/2 | 21 0/27 | 0/27 | 0/27 | 0/188 |
| Filobacterium rodentium (CAR bacillus) Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Mycoplasma pulmonis Serum MFI 6 weeks 0/1 | 19 0/19 | 0/19 | 0/19 | 0/139 |
| Mycoplasma spp. Lung PCR semi-annual - | | - | 0/06 | 0/8 |
| Salmonella spp. Intestine or feces Culture 6 weeks 0/7 | 72 0/78 | 0/90 | 0/89 | 0/607 |
| Streptobacillus moniliformis Oropharynx Culture 6 weeks 0/2 | 21 0/27 | 0/27 | 0/27 | 0/188 |

*Additional details regarding our health monitoring program and shipping policy.

+The indicated tests are only performed in rooms that house immunodeficient mice.

| Organism | Sample Tested | | Test Results: #positive/#tested | | | | | | |
|--|--------------------|-----------------------|---------------------------------|------------|-----------|------------|------------|-----------------------|------|
| | | Test Method | Frequency | Dec 16 '24 | Nov 4 '24 | Sep 23 '24 | Aug 12 '24 | Previous 12 months | |
| PARASITES | | | | | | | | | |
| Encephalitozoon cuniculi | Serum | MFI | 6 weeks | 0/19 | 0/19 | 0/19 | 0/19 | 0/139 | |
| Ectoparasites (fleas, lice, mites) | Fur | Visual | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/61 | |
| Endoparasites (tapeworms, | Intestine or cecum | stine or cecum Visual | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/61 | |
| pinworms§, and other helminths) | | | | | | | | | |
| Follicle mites | Subcutis | Visual | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 | |
| Protozoa (e.g., Giardia, Spironucleus, | Intestine | Intecting Micros | Microscopy | v 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/61 |
| etc.) | | Microscopy | o weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/01 | |
| Toxoplasma gondii ‡ | Serum | ELISA | semi-annual | - | - | - | 0/06 | 0/12 | |

OPPORTUNISTIC ORGANISMS MONITORED (SHIPPING NOT STOPPED)

All of these organisms are excluded from JMCRS **maximum and high barriers**, and most are excluded from **standard barrier** areas. When a confirmed finding of an excluded organism is made, an investigation is undertaken to identify and eliminate all infected mice from the barrier. Positive results- including results from investigations- are noted in this report, but shipping from the area is not suspended.*

| Organism | Sample Tested | Test Method | Frequency | Dec 16 '24 | Nov 4 '24 | Sep 23 '24 | Aug 12 '24 | Previous 12 months |
|--|------------------------------------|-------------|-------------|------------|-----------|------------|------------|-----------------------|
| Dermatophytes | Skin swabs | Culture | semi-annual | - | - | - | 0/06 | 0/8 |
| Helicobacter spp. | Intestine or feces | PCR | 6 weeks | 0/08 | 0/08 | 0/08 | 0/08 | 0/69 |
| Klebsiella pneumoniae | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |
| Klebsiella oxytoca | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |
| Pasteurella multocida | Oropharynx | Culture | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 |
| Rodentibacter pneumotropicus / Rodentibacter heylii | Oropharynx | Culture | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 |
| Pneumocystis murina † | Lung | PCR | 6 weeks | 0/08 | 0/08 | 0/08 | 0/08 | 0/58 |
| Proteus mirabilis | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |
| Pseudomonas aeruginosa | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |
| Staphylococcus aureus | Oropharynx | Culture | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 |
| Streptococcus pneumoniae | Oropharynx | Culture | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 |
| Beta-hemolytic Streptococcus spp. (non-group D) | Oropharynx | Culture | 6 weeks | 0/21 | 0/27 | 0/27 | 0/27 | 0/188 |
| Trichomonads | Intestine | Microscopy | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/61 |
| Yersinia enterocolitica | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |
| Yersinia pseudotuberculosis | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/72 | 0/78 | 0/90 | 0/89 | 0/607 |

⁺The indicated tests are only performed in rooms that house immunodeficient mice.

¶ One sample represents testing of 60 pooled animals

§ Testing for this organisms is also performed by PCR

‡This testing is performed by an outside vendor

All tests were performed by The Jackson Laboratory

| | | The Jackson Laboratory | | | | |
|---|------|------------------------|--|--|--|--|
| | EM09 | 600 Main Street | | | | |
| Rosalinda A. Doty DVM, PhD, DACVP | | Bar Harbor, ME 04609 | | | | |
| Director, Diagnostic and Pathology Services | | 1-800-422-6423 | | | | |